


## Weaner >200kg

### Typical Formulation

Barley - Dry Rolled
Lillyvale Dry Supplement
Vegetable Oil
Cottonseed - Whole
Canola Meal
Almond Hulls
Barley Straw
Cereal Hay

### Typical Analysis

Nutritional Parameter	Unit	
Dry Matter	90.19	PCT
Crude Protein	14.47	PCT
NDF	21.93	PCT
Ionophore	29.94	PPM
NEG	1.33	Mcal/kg
NEM	1.98	Mcal/kg
ME	12.24	MJ/kg



### Product Description

Performance feed for young weaners >200kgs. To be fed in conjunction with a palatable roughage source.

Highly palatable, well-balanced ration, to encourage growth and weight gain, while optimise health with balanced nutrition.

This product does not contain restricted animal material

This feed has been formulated specifically for animals as described.

Fodder Link accepts no responsibility if this feed is used in quantities, conditions or in any way that is not in accordance with the recommendations.

### For Customisations and Quoting Contact Oliver

[commodity@fodderlink.com.au](mailto:commodity@fodderlink.com.au)

0447 299 720

### Or Contact the Office

[admin@fodderlink.com.au](mailto:admin@fodderlink.com.au)

[www.fodderlink.com.au](http://www.fodderlink.com.au)

1800 363 337

## Weaner >200kg

Ration & Daily Allocation									
Current Weight	Transition		Weaner < 200kg				Weaner > 200KG		
	Start	50:50	Target ADG, kg						
			0	0.4	0.6	0.8	0.6	0.8	1.0
100	2.74	2.83	1.38	1.94	2.22	2.55	2.19	2.47	2.77
110	2.94	3.04	1.49	2.08	2.38	2.74	2.36	2.65	2.98
120	3.14	3.25	1.59	2.22	2.54	2.92	2.51	2.83	3.19
130	3.34	3.45	1.69	2.60	2.70	3.00	2.67	3.00	3.38
140	3.53	3.64	1.78	2.49	2.85	3.28	2.82	3.17	3.57
150	3.71	3.84	1.88	2.63	3.00	3.45	2.97	3.34	3.76
160	3.90	4.03	1.97	2.76	3.15	3.63	3.12	3.51	3.95
170	4.08	4.21	2.06	2.89	3.30	3.79	3.26	3.67	4.13
180	4.26	4.40	2.15	3.01	3.44	3.96	3.41	3.83	4.31
190	4.43	4.58	2.24	3.14	3.59	4.12	3.55	3.99	4.49
200	4.61	4.76	2.33	3.26	3.73	4.29	3.69	4.15	4.67
210	4.78	4.94	2.42	3.38	3.86	4.45	3.82	4.30	4.84
220	4.95	5.11	2.50	3.50	4.00	4.60	3.96	4.45	5.01
230	5.12	5.29	2.59	3.62	4.14	4.76	4.09	4.61	5.18
240	5.28	5.46	2.67	3.74	4.27	4.91	4.23	4.75	5.35
250	5.45	5.63	2.75	3.85	4.40	5.07	4.36	4.90	5.52
260	5.61	5.80	2.84	3.97	4.54	5.22	4.49	5.05	5.68
270	5.77	5.96	2.92	4.08	4.67	5.37	4.62	5.19	5.84
280	5.93	6.13	3.00	4.20	4.80	5.52	4.75	5.34	6.00
290	6.09	6.29	3.08	4.31	4.92	5.66	4.87	5.48	6.16
300	6.24	6.45	3.16	4.42	5.05	5.81	5.00	5.62	6.32
310	6.40	6.61	3.23	4.53	5.18	5.95	5.12	5.76	6.48
320	6.55	6.77	3.31	4.64	5.30	6.10	5.24	5.90	6.64
330	6.71	6.93	3.39	4.75	5.42	6.24	5.37	6.04	6.79
340	6.86	7.09	3.47	4.85	5.55	6.38	5.49	6.17	6.95
350	7.01	7.24	3.54	4.96	5.67	6.52	5.61	6.31	7.10

\*Applies to above stated ration

**For Customisations and Quoting  
Contact Oliver**

commodity@fodderlink.com.au


0447 299 720

**Or Contact the Office**

admin@fodderlink.com.au

www.fodderlink.com.au

1800 363 337



---

## Weaner >200kg

- Weight gain target for weaners is 0.6 - 0.8 kg/head/day.
- Draft into weight ranges, with maximum ranges of 50kg,
  - 200-250kg, and
  - 250-300kg.

(conduct visual assessment every 2 weeks to draft shy feeders into lower weight categories).

- Use the average pen weight multiplied by the daily allocation to calculate feeding requirements.
- If feeding out once per day ideally providing 30cm of bunk space per head, if providing less bunk space per head, commence split feeding 2hrs apart.
- When using self-feeders adjust slides settings to regulate feed intake and achieve recommended feeding rates.
- Ensure appropriate animal husbandry procedures are complete.
- Ensure clean, fresh water is available at all times.
- Spoilt feed to be removed daily, for best performance
- **Do not exceed table allocations.**
- **Not suitable for consumption by humans, horse, sheep, goats, pig or dogs.**